

Fitting for 2 synchronously opening wooden doors up to 100 kg (220 lbs.), with surface mounted running track. Wall or ceiling mounting.

Product highlights



Flexibility

Standard applications can be extended with the Synchro option



Productivity

Easy installation of the accessories

Technical specifications



Max. 100 kg (220 lbs.)




Max. 2400 mm (7' 10 7/16")









Max. 1200 mm (3' 11 1/4")



28–30 mm (1 3/32" to 1 3/16")











Installation examples



Set for 1 wooden door up to 100 kg (220 lbs.) (order 2x)

	No.
Hawa Porta/Divido 100 H/HC, for 1 door	057.3139.071









Set consisting of:

		057.3139.071	No.
	Running gear, ball bearing, rollers plastic white	2	057.3114.071
	Stopper, with retention spring, plastic, gray	2	057.3073.072
	Suspension bolt, M8x32 mm (5/16"x1 1/4"), steel, zinc-plated	2	057.0123.104
	Hexagon locking nut, M8, steel, zinc-plated	2	768.9005.101
	Support bracket, height and lateral adjustable, steel, zinc-plated	2	057.3129.101
	Pan head screw, 5x35 mm (3/16"x1 3/8"), steel, zinc-plated	8	766.6051.135
	Bottom guide, with roller, adjustable, plastic, anthracite	1	057.3120.071
	Countersunk head screw, 4x20 mm (5/32"x25/32"), steel, zinc-plated	4	766.5042.120




Synchro set

	No.
Hawa Porta 60/100 H/HC and Hawa Divido 100 H, Synchro, for 2 doors	042.3027.072


Set consisting of:

		mm (inch)	042.3027.072	No.
	Deviating roller, ball bearing		2	055.0101.001
	Cable safety, steel, zinc-plated		2	056.0124.101
	Clamp piece, steel, zinc-plated		2	057.0113.101
	Kevlar cable, D= 2.5 mm (3/32")	10,000 (32' 9 11/16")	1	752.0059.104
	Flat washer, M5, 5.3/15/2 mm (3/16"/19/32"/3/32"), steel, zinc-plated		2	600.0000.681
	Rounded head screw, 5x25 mm (3/16"x31/32"), steel, zinc-plated		2	762.9455.000
	Head cap screw, with flange, M5x10 mm (3/16"x13/32"), steel, zinc-plated		4	762.9365.000
	Pan head screw, 5x35 mm (3/16"x1 3/8"), steel, zinc-plated		4	766.6051.135



Running tracks

		mm (inch)	No.
	Combi running track, aluminum, pre-drilled	2,500 (8' 2 7/16")	057.3048.250
		3,500 (11' 5 25/32")	057.3048.350
		6,000 (19' 8 7/32")	057.3048.600
		cut to size	057.3048.990
	Spacer track, for wall mounting, plastic, gray	2,000 (6' 6 3/4")	057.3054.200
		cut to size	057.3054.990
	Disposable cover to running track Hawa Divido 100 / Hawa Porta 45/60/100, plastic, black	2,000 (6' 6 3/4")	057.3098.001
		cut to size	057.3098.990

Clip-on components

	No.
 Clip component for wooden and aluminum panel, every 500 mm (1' 7 11/16"), aluminium, pre-drilled	057.3117.001




Panels

		mm (inch)	No.
	Clip-on panel, aluminum, anodized	2,500 (8' 2 7/16")	042.3004.250
		3,500 (11' 5 25/32")	042.3004.350
		6,000 (19' 8 7/32")	042.3004.600
		cut to size	042.3004.990
	Brush seal, gray, in rolls	10,000 (32' 9 11/16")	053.3040.100

Panel end component set, 51 mm (1 15/16"), aluminum, ceiling mounting

	No.
Panel end component set for 057.3048., 49x60 mm (1 15/16x2 3/8"), aluminum, anodized, for ceiling mounting	042.3028.071




Set consisting of:

	Panel end component, 49 mm (1 15/16"), aluminum, anodized	1	042.3028.901
	Bracker connector, steel, zinc-plated	2	057.3051.101
	Screw, M4x2.6 mm (5/32"x 1/8"), steel, zinc-plated	4	011.0101.171


Panel end component set, 51 mm (2"), aluminum, wall mounting

	No.
Panel end component set for 057.3048., 51x60 mm (2"x2 3/8"), aluminum, anodized, for wall mounting	042.3028.075


Set consisting of:

	Panel end component, 51 mm (2"), aluminum, anodized	1	042.3028.905
	Bracker connector, steel, zinc-plated	2	057.3051.101
	Screw, M4x2.6 mm (5/32"x 1/8"), steel, zinc-plated	4	011.0101.171


Bottom guide set for wall mounting

	No.
 Set bottom guide for wall mounting, with roller	057.3128.171


Accessories

	No.
 Track cleaner, plastic, blue	057.3099.071


Further installation examples




Wall bracket bottom guide



Calculations of clip-on panels



Calculations



Accessories

- Hawa 4-point guidance from page 521
- Hawa Divido overview from page 535

Planning/execution

Further information about the product can be found on www.hawa.com.