Fitting for top-running wooden doors up to 600 kg (1320 lbs.), with surface mounted running track. Wall or ceiling mounting.

Three or four point guidance for maximum stability		
Even heavy doors close smoothly and quietly thanks to the ball bearing rollers		
tions	1	
600 kg (1320 lbs.)	4	
6000 mm (19'8 7/32'')		
5000 mm (16'4 27/32'')		
40–100 mm (1 9/16'' to 3 15/16'')		


Technical specifications


Product highlights Flexibility


Comfort

\triangle	Max.	600 kg (1320 lbs.)
$\stackrel{\wedge}{\downarrow}$	Max.	6000 mm (19'8 7/32'')
$\stackrel{\leftarrow}{=}$	Max.	5000 mm (16'4 27/32'')
→[]←		40–100 mm (1 9/16'' to 3 15/16'')

Installation examples









Set for ceiling or wall mounting, for 1 wooden door up to 600 kg (1320 lbs.)

		No.	
Hawa Porta 600 H, for 1 door		059.3010.171	
Set consisting	of:	059.3010.171	No.
<u>je</u>	Running gear, ball bearings, rollers plastic white	2	059.3004.171
	Stopper, with rubber buffer, steel, zinc-plated	1	059.3009.171
	Suspension bolt, M12x60 mm (15/32"x2 3/8"), steel, zinc-plated	2	059.3005.171
00 00 00 00 00 00 00 00 00 00 00 00 00	Support bracket, steel, zinc-plated	2	059.3007.101
a a	T bottom guide, steel, zinc-plated	1	058.3011.101
SI >	Screw set	1	058.0103.171

Г

Accessories

		No.
	Connecting sleeve, steel, zinc-plated	059.3001.171
	Ceiling suspension bracket, steel, zinc-plated	059.3002.171
	Wall suspension bracket, steel, zinc-plated	059.3003.171
٩	Bottom guide pin, for screw fixing, for 058.3010.101, 20 mm (25/32")	058.3015.171
099	Bottom guide roller, 20 mm (25/32"), steel, zinc-plated	058.3012.171
A STANDA	Supporting angle bracket/bot- tom guide, steel, zinc-plated	058.3010.101

Running tracks


			mm (inch)	No.
		Running track, steel, zinc-plated	6,000 (19' 8 7/32'')	059.3000.600
	Ţ	Running track, steel ,zinc-plated	cut to size	059.3000.990

Guide tracks

		mm (inch)	No.
0	Guide track, steel, zinc-plated, pre-drilled	6,000 (19' 8 7/32'')	058.3013.600
		cut to size	058.3013.990



Installation examples bottom guides




06


비행

25

Ø 5

Mounting example with support bracket





Accessories – General accessories from page 518 **Planning/execution** Further information about the product can be found on www.hawa.com.