

Fitting for pivoting and lateral sliding in of wooden doors up to 40 kg (88 lbs.). Enables multi-functional room design, paired with a flush-fitting design.

Product-Highlights



Flexibility

Tremendous flexible door dimensions provides a high degree of design freedom



Comfort

Easy, quiet operation thanks to soft closing mechanism and hinges with integrated soft closing mechanism

Technical guidelines

Door weight	20–40 kg (44 to 88 lbs.)
Door thickness	19–50 mm (3/4" to 1 31/32")
Door height	1851–2500 mm (6' 7/8" to 8' 2 7/16")
Door width	300–900 mm (11 13/16" to 2' 11 7/16")
Height adjustable	+/- 3 mm (1/8")
Soft close	Yes
Door material	Wood

Application area

Utilization light / semi-public access	Yes
Utilization medium / semi-public access	Yes
Utilization high / public access	Yes

Tests

Hardware for furniture – Strength and durability of slide fittings for sliding doors and roll fronts according to EN 15706 / 2009

Hardware for furniture – Strength and durability of hinges and their components - Hinges with vertical axis of rotation according to EN 15570 / 2008

Warranty

With the exception of parts subject to wear and tear, Hawa warrants the flawless functioning of the products delivered by it, as well as the durability of all parts, for a period of 2 years commencing from the transfer of risk.

Product Design

Hawa Concepta 40 consisting of guide profiles (aluminum), scissor (steel, zinc-plated), incl. running and guide rollers, door retractor, horizontal bar profile, cup hinges with damping.

Optional:

- (...) Carcase connecting profiles (Connector 55 and 110 mm (2 5/32" and 4 11/32"))
- (...) Guide for two single doors
- (...) Door handles
- (...) Straightening fitting

Interfaces

Door leaf

- Drill holes 35 mm (1 3/8") for cup hinges
- Drill holes for fittings

Carcase side and outside

- Drill holes for fittings

Carcase construction

- Door inset
- Door hitting the floor and the upper floor
- Door in wall niche
- Door with furniture base
- Door without furniture base
- Door from worktop hitting top floor