

Fitting for 1 top-running glass door up to 100 kg (220 lbs.), with concealed suspension. Ceiling mounting.

Product-Highlights	Flexibility	Only system available on the market for room dividers with single-sided fixed glass components or door pockets in wood and glass
	Aesthetics	All-glass solutions without visible hardware components thanks to technology integrated in the running track
Technical guidelines	Max. Door weight	100 kg (220 lbs.)
	Door thickness	8–12.7 mm (5/16'' to 1/2'')
	Max. Door height	3000 mm (9' 10 1/8'')
	Max. Door width	3000 mm (9' 10 1/8'')
	Max. Opening width	2950 mm (9' 8 5/32'')
	Height adjustable	+/- 2.5 mm (3/32'')
	Soft close	No
	Door material	Glass
	Finish color of visible	profiles Aluminum anodized; Aluminum anodized / aluminum stainless steel effect
System options	Ceiling mounting	Yes
	Ceiling mounting rec	ssed Yes
	Top-running	Yes
Application area	Utilization light / sem	-public access Yes
	Utilization medium /	emi-public access Yes
	Utilization high / pub	c access Yes

Tests Building hardware – Hardware for sliding doors and folding doors according to EN 1527 / 1998

- Duration of functionality: Class 3 = 100,000 cycles DIN 68859

Hardware for furniture - Roller fittings for sliding doors according to DIN 68859

Warranty With the exception of parts subject to wear and tear, Hawa warrants the flawless

functioning of the products delivered by it, as well as the durability of all parts, for a period

of 2 years commencing from the transfer of risk.



Product Design

Hawa Puro 100 consisting of running track (aluminum), running gear with ball bearing rollers, suspension wedge, track buffer, floor guide with zero clearance

Optional:

- (....) Guide profile
- (....) Bottom guide for guide profile
- (....) Hawa Toplock lock
- (....) Ceiling connection profile
- (....) Hawa Adapto 100 concrete casting profile
- (....) Wall connection profile
- (....) Vertical sealing profiles
- (....) Bottom door stopper
- (....) Fixing set for fixed wooden element

Interfaces

Door leaf

- Glass processing for suspension

Fixed element

- Fixed element available in wood or glass

Hawa Adapto concrete casting system

 The Hawa Adapto 120 concrete casting system is already integrated in the concrete ceiling of the building shell